



Queen Anne's County
 160 Coursevall Drive
 Centreville, MD 21617

PERMIT# B14-1173
DATE OF APPLICATION 12/01/2014

BUILDING PERMIT

BUILDING LOCATION 00114 SPOTTED FAWN CT CENTREVILLE				PROPERTY OWNERS NAME & ADDRESS WOLFF CRAIG JOSEPH			
TAX ACCOUNT # 1806010857		SEWER ACCOUNT #		WOLFF RENEE LEE 114 SPOTTED FAWN COURT CENTREVILLE, MD 21617-0000			
SUBDIVISION WILLOW BRANCH EAST		CRITICAL AREA NO		HOME PHONE 3022335497		WORK PHONE	
SECTION		BLOCK		LOT 3		OWNER ON RECORD NAME	
TAX MAP 0037	GRID	PARCEL 0016	ACREAGE 0018	1.25			
ZONED AG	FRONTAGE		DEPTH				
EXISTING USE RESIDENCE				CONSTRUCTION VALUE \$16,728		PARK FEE \$0	
PROPOSED USE SOLAR PANELS				ZONING FEE \$55.00		FIRE MARSHAL FEE \$0	
				SCHOOL FEE \$0		BUILDING FEE \$250.00	
				LICENSE # MHIC128948		TELEPHONE # 4438592229	
BUILDER ADDRESS SOLAR CITY CORPORATION 178 VENTURE DRIVE				SEAFOORD, DE 19973			
PLUMBER N/A				ELECTRICIAN N/A		MECHANICAL N/A	
ELECTRICIAN SOLARCITY CORPORATION				E-# 1347		4439340185	
MECHANICAL N/A				SPRINKLER N/A		N/A	
SPRINKLER N/A				.. N/A		N/A	

DESCRIPTION OF WORK	STAKED?
INSTALL (32) 255 WATT SOLAR PANELS MOUNTED FLUSH TO ROOF OF EXISTING SFD.	

BUILDING DESCRIPTION DIMENSIONS (IN SQUARE FEET)		CONSTRUCTION TYPE OTHER	
UNFIN. BASEMENT	FIN. BASEMENT	IMPROVEMENTS	
FIRST FLOOR	SECOND FLOOR	#BEDROOMS	#BATHROOMS
GARAGE	CARPORT	#ROAD ENTRANCES	WIDTH
DECK	PORCH	WATER TYPE WELL WATER	ROAD TYPE
OTHER	FIREPLACE NO	HEATING SYSTEM N/A	SEWER TYPE SEPTIC
THIRD FLOOR	TOTAL FLOOR AREA 0	SPRINKLER SYSTEM NO	CENTRAL AIR N/A

THE UNDERSIGNED HEREBY CERTIFIES AND AGREES AS FOLLOWS: (1) THAT HE/SHE IS AUTHORIZED TO MAKE THIS APPLICATION; (2) THAT THE INFORMATION IS CORRECT; (3) THAT HE/SHE WILL COMPLY WITH ALL REGULATIONS OF QUEEN ANNE'S COUNTY WHICH ARE APPLICABLE THERETO; (4) THAT HE/SHE WILL PERFORM NO WORK ON THE ABOVE REFERENCED PROPERTY NOT SPECIFICALLY DESCRIBED IN THIS APPLICATION; (5) THAT HE/SHE GRANT'S COUNTY OFFICIALS THE RIGHT TO ENTER ONTO THIS PROPERTY FOR THE PURPOSE OF INSPECTING THE WORK PERMITTED AND POSTING NOTICES.


NOTE: Separate electrical, mechanical and plumbing permits are required! **Electricians, Plumbers and HVAC Contractors must have Queen Anne's County Licenses.**
 A permit under which no work has commenced within six months after issuance shall expire. A permit under which work commences within six months shall be considered valid if construction is continuous.

MINIMUM YARD REQUIREMENTS				OFFICE USE ONLY APPROVALS			
ACCESSORY STRUCTURE		PRINCIPLE STRUCTURE		BUILDING RAE 12/02/14	FLD. PL. ZN.	N/A	
FRONT FT	FT	FRONT FT	FT	ZONING JR 12/02/14	PLUMBING	N/A	
SIDE FT	FT	SIDE FT	FT	SEDIMENT N/A	SANITATION	N/A	
REAR FT	FT	REAR FT	FT	PUB. SEW. N/A	SHA	N/A	
SIDE ST. FT	FT	SIDE ST. FT	FT	S.W. MGT. N/A	MECHANICAL	N/A	
MAX. HGHT. FT	FT	MAX. HGHT. FT	FT	ENTRANCE N/A	ELECTRICAL	E14904 12/01/14	
				FIRE MARSHAL N/A	FOOD SERVICE	N/A	
					BACKFLOW#	N/A	

COMMENTS:
 *XXXXXXXXXXXX ANY RESIDENTIAL OCCUPANCY THAT IS EQUIPPED WITH SOLAR PANELS MOUNTED ON TO ANY PORTION OF THE DWELLING SHALL B E EQUIPPED WITH AN EXTERIOR EMERGENCY POWER SHUT-OFF. THE SHUT OFF SHALL BE CLEARLY IDENTIFIED AND SHALL NOT BE BLOCKED BY ANY FIXTURES, FURNITURE, BRUSH AND/OR LANDSCAPING.

DATE APPROVED 12/18/14 **ADMINISTRATOR**

REV. 1/11



Queen Anne's County
 160 Coursevall Drive
 Centreville, MD 21617

PERMIT# B14-1216

DATE OF APPLICATION 12/12/2014

BUILDING PERMIT

BUILDING LOCATION 00141 CAT PAUSE LN CENTREVILLE				PROPERTY OWNERS NAME & ADDRESS DAVENPORT MICHAEL L & TRACY N			
TAX ACCOUNT # 1802022206		SEWER ACCOUNT #		141 CAT PAUSE LANE CENTREVILLE, MD 21617-0000			
SUBDIVISION		CRITICAL AREA		HOME PHONE 4105566061		WORK PHONE 4434800081	
SECTION	BLOCK	LOT 2		OWNER ON RECORD NAME			
TAX MAP 0029	GRID	PARCEL 0002	ACREAGE 0105				
ZONED AG	FRONTAGE		DEPTH				

EXISTING USE RESIDENCE	CONSTRUCTION VALUE \$3,200
PROPOSED USE PELLET STOVE	PARK FEE \$0
	FIRE MARSHAL FEE \$0
	ZONING FEE \$55.00
	BUILDING FEE \$35.00
	SCHOOL FEE \$0
	FIRE FEE \$0

BUILDER BYLERS STOVE SHOPPE INC	LICENSE # MHIC130911	TELEPHONE # 3026741631
ADDRESS 1368 ROSE VALLEY ROAD	DOVER, DE 19904	
PLUMBER N/A	N/A	N/A
ELECTRICIAN N/A	N/A	N/A
MECHANICAL N/A	N/A	N/A
SPRINKLER N/A	N/A	N/A

DESCRIPTION OF WORK	STAKED?
----------------------------	----------------

REPLACE EXISTING PELLET STOVE WITH NEW PELLET STOVE LENNOX - WINSLOW PS40 MODEL

BUILDING DESCRIPTION DIMENSIONS (IN SQUARE FEET)	CONSTRUCTION TYPE OTHER
UNFIN. BASEMENT	FIN. BASEMENT
FIRST FLOOR	SECOND FLOOR
GARAGE	CARPORT
DECK	PORCH
OTHER	FIREPLACE NO
THIRD FLOOR	TOTAL FLOOR AREA 0
IMPROVEMENTS	
#BEDROOMS	#BATHROOMS
#ROAD ENTRANCES	WIDTH
ROAD TYPE	ROAD TYPE
WATER TYPE WELL WATER	SEWER TYPE SEPTIC
HEATING SYSTEM N/A	CENTRAL AIR N/A
SPRINKLER SYSTEM N/A	

THE UNDERSIGNED HEREBY CERTIFIES AND AGREES AS FOLLOWS: (1) THAT HE/SHE IS AUTHORIZED TO MAKE THIS APPLICATION; (2) THAT THE INFORMATION IS CORRECT; (3) THAT HE/SHE WILL COMPLY WITH ALL REGULATIONS OF QUEEN ANNE'S COUNTY WHICH ARE APPLICABLE THERETO; (4) THAT HE/SHE WILL PERFORM NO WORK ON THE ABOVE REFERENCED PROPERTY NOT SPECIFICALLY DESCRIBED IN THIS APPLICATION; (5) THAT HE/SHE GRANT'S COUNTY OFFICIALS THE RIGHT TO ENTER ONTO THIS PROPERTY FOR THE PURPOSE OF INSPECTING THE WORK PERMITTED AND POSTING NOTICES.

NOTE: Separate electrical, mechanical and plumbing permits are required! **Electricians, Plumbers and HVAC Contractors must have Queen Anne's County Licenses.**
 A permit under which no work has commenced within six months after issuance shall expire. A permit under which work commences within six months shall be considered valid if construction is continuous.

MINIMUM YARD REQUIREMENTS				OFFICE USE ONLY APPROVALS			
ACCESSORY STRUCTURE		PRINCIPLE STRUCTURE		BUILDING		FLD. PL. ZN.	
FRONT	FT	FRONT	FT	ZONING	RAC 12/16/14	PLUMBING	N/A
SIDE	FT	SIDE	FT	SEDIMENT	JR 12/16/14	SANITATION	N/A
REAR	FT	REAR	FT	PUB. SEW.	N/A	SHA	N/A
SIDE ST.	FT	SIDE ST.	FT	S.W. MGT.	N/A	MECHANICAL	N/A
MAX. HGHT.	FT	MAX. HGHT.	FT	ENTRANCE	N/A	ELECTRICAL	N/A
				FIRE MARSHAL	N/A	FOOD SERVICE	N/A
						BACKFLOW#	N/A

COMMENTS: * NO NOTES *

DATE APPROVED 12-18-14 **ADMINISTRATOR** James H. Barton III