

B85-0715

11 Ackerman Ct

Lot 42

OMB 3067-0077  
Expires: June 1984



FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM

# ELEVATION CERTIFICATE

This form is to be used for: 1) New/Emergency Program construction in Special Flood Hazard Areas; 2) Pre-FIRM construction after September 30, 1982; 3) Post-FIRM construction; and, 4) Other buildings rated as Post-FIRM rules.

Mallard Homes

P.O. Box 142

BUILDING OWNER'S NAME: ADDRESS: Chester MD 21619

PROPERTY LOCATION (Lot and Block numbers and address if available):  
Lots 42 & 43, Block Y, Cloverfields Subdivision

I certify that the information on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. code, Section 1001.

**SECTION I ELIGIBILITY CERTIFICATION** (Completed by Local Community Permit Official or a Registered Professional Engineer, Architect, or Surveyor)

COMMUNITY NO	PANEL NO.	SUFFIX	DATE OF FIRM	FIRM ZONE	DATE OF CONSTR.	BASE FLOOD ELEV. (In AO Zone, use depth)	BUILDING IS
240054	39	B	9/28/84	A7	1985	7	<input type="checkbox"/> New/Emergency <input type="checkbox"/> Pre-FIRM Reg. <input type="checkbox"/> Post-FIRM Reg.

YES NO It is intended that the building described above will be constructed in compliance with the community's flood plain ordinance. The certifier may rely on community records. The lowest floor (including basement) will be at an elevation of \_\_\_\_\_ ft, NGVD. Failure to construct the building at this elevation may place the building in violation of the community's flood plain management ordinance.

YES NO The building described above has been constructed in compliance with the community's flood plain management ordinance based on elevation data and visual inspection or other reasonable means. If NO is checked, attach copy of variance issued by the community.

YES NO The mobile home located at the address described above has been tied down (anchored) in compliance with the community's flood plain management ordinance, or in compliance with the NFIP Specifications.

MOBILE HOME MAKE	MODEL	YR. OF MANUFACTURE	SERIAL NO.	DIMENSIONS X

(Community Permit Official or Registered Professional Engineer, Architect, or Surveyor)  
NAME Alan Quimby ADDRESS P.O. Box 56

TITLE Water Resources Eng. CITY Centreville STATE Maryland ZIP 21617

SIGNATURE *Alan Quimby* DATE 11-27-85 PHONE 301-758-0920

**SECTION II ELEVATION CERTIFICATION** (Certified by a Local Community Permit Official or a Registered Professional Engineer, Architect, or Surveyor.)

FIRM ZONE A1-A30: I certify that the building at the property location described above has the lowest floor (including basement) at an elevation of 8.7 feet, NGVD (mean sea level) and the average grade at the building site is at an elevation of \_\_\_\_\_ feet, NGVD.

FIRM ZONES V, V1-V30: I certify that the building at the property location described above has the bottom of the lowest floor beam at an elevation of \_\_\_\_\_ feet, NGVD (mean sea level), and the average grade at the building site is at an elevation of \_\_\_\_\_ feet, NGVD.

FIRM ZONES A, A99, AH and EMERGENCY PROGRAM: I certify that the building at the property location described above has the lowest floor elevation of \_\_\_\_\_ feet, NGVD. The elevation of the highest adjacent grade next to the building is \_\_\_\_\_ feet, NGVD.

FIRM ZONE AO: I certify that the building at the property location described above has the lowest floor elevation of \_\_\_\_\_ feet, NGVD. The elevation of the highest adjacent grade next to the building is \_\_\_\_\_ feet, NGVD.

**SECTION III FLOODPROOFING CERTIFICATION** (Certification by a Registered Professional Engineer or Architect)

I certify to the best of my knowledge, information, and belief, that the building is designed so that the building is watertight, with walls substantially impermeable to the passage of water and structural components having the capability of resisting hydrostatic and hydrodynamic loads and effects of buoyancy that would be caused by the flood depths, pressures velocities, impact and uplift forces associated with the base flood.  
YES  NO  In the event of flooding, will this degree of floodproofing be achieved with human intervention?



**c.h. miller & associates, inc.**

**land surveying services**

650 Ritchie Highway, Monumental Title Building  
Severna Park, Maryland 21146 Phone: (301) 544-5050

**eastern shore office**

P.O. Box 417  
Stevensville, Maryland 21666 Phone: (301) 643-3612

November 27, 1985

The Department of Public Works  
Queen Anne's County  
P.O. Box 56  
Centreville, Maryland 21617

Attn: Mr. Alan L. Quimby

RE: Lots 43 & 42, Lots 41 & 40  
and Lot 39; Block Y,  
Cloverfields, Fourth  
District.


Dear Mr. Quimby:

This is to certify that we have checked the first floor elevations of the 3 dwellings under construction on the above referenced lots and have found those elevations, stated in feet above sea level (N.G.V.D. of 1929), to be as follows:

dwelling Lots 43 & 42	8.71	3-85 - 715
dwelling Lots 41 & 40	8.88	B-85 - 714
dwelling Lot 39	8.01	B-85 - 713

Clarence H. Miller #4011





**c.h. miller & associates, inc.**

**land surveying services**

650 Ritchie Highway, Monumental Title Building  
Severna Park, Maryland 21146 Phone: (301) 544-5050

**eastern shore office**

P.O. Box 417  
Stevensville, Maryland 21666 Phone: (301) 643-3612

November 27, 1985

The Department of Public Works  
Queen Anne's County  
P.O. Box 56  
Centreville, Maryland 21617

Attn: Mr. Alan L. Quimby


RE: Lots 43 & 42, Lots 41 & 40  
and Lot 39; Block Y,  
Cloverfields, Fourth  
District.

Dear Mr. Quimby:

This is to certify that we have checked the first floor elevations of the 3 dwellings under construction on the above referenced lots and have found those elevations, stated in feet above sea level (N.G.V.D. of 1929), to be as follows:

dwelling Lots 43 & 42	8.71	B-85-715
dwelling Lots 41 & 40	8.88	B-85-714
dwelling Lot 39	8.01	B-85-713

Clarence H. Miller #4011





FEDERAL EMERGENCY MANAGEMENT AGENCY  
NATIONAL FLOOD INSURANCE PROGRAM

# ELEVATION CERTIFICATE

This form is to be used for: 1) New/Emergency Program construction in Special Flood Hazard Areas; 2) Pre-FIRM construction after September 30, 1982; 3) Post-FIRM construction; and, 4) Other buildings rated as Post-FIRM rules.

Mallard Homes

P.O. Box 142

BUILDING OWNER'S NAME ADDRESS Chester MD 21619

PROPERTY LOCATION (Lot and Block numbers and address if available)  
Lots 42 & 43, Block Y, Cloverfields Subdivision

I certify that the information on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. code, Section 1001.

**SECTION I ELIGIBILITY CERTIFICATION** (Completed by Local Community Permit Official or a Registered Professional Engineer, Architect, or Surveyor)

COMMUNITY NO.	PANEL NO.	SUFFIX	DATE OF FIRM	FIRM ZONE	DATE OF CONSTR.	BASE FLOOD ELEV. (In AO Zone, use depth)	BUILDING IS
240054	39	B	9/28/84	A7	1985	7	<input type="checkbox"/> New/Emergency <input type="checkbox"/> Pre-FIRM Reg. <input type="checkbox"/> Post-FIRM Reg.

YES  NO  It is intended that the building described above will be constructed in compliance with the community's flood plain ordinance. The certifier may rely on community records. The lowest floor (including basement) will be at an elevation of \_\_\_\_\_ ft, NGVD. Failure to construct the building at this elevation may place the building in violation of the community's flood plain management ordinance.

YES  NO  The building described above has been constructed in compliance with the community's flood plain management ordinance based on elevation data and visual inspection or other reasonable means. If NO is checked, attach copy of variance issued by the community.

YES  NO  The mobile home located at the address described above has been tied down (anchored) in compliance with the community's flood plain management ordinance, or in compliance with the NFIP Specifications.

MOBILE HOME MAKE	MODEL	YR. OF MANUFACTURE	SERIAL NO.	DIMENSIONS X

(Community Permit Official or Registered Professional Engineer, Architect, or Surveyor)

NAME Alan Quimby ADDRESS P.O. Box 56

TITLE Water Resources Eng. CITY Centreville STATE Maryland ZIP 21617

SIGNATURE *Alan Quimby* DATE 11-27-85 PHONE 301-758-0920

**SECTION II ELEVATION CERTIFICATION** (Certified by a Local Community Permit Official or a Registered Professional Engineer, Architect, or Surveyor.)

FIRM ZONE A1-A30: I certify that the building at the property location described above has the lowest floor (including basement) at an elevation of 8.7 feet, NGVD (mean sea level) and the average grade at the building site is at an elevation of \_\_\_\_\_ feet, NGVD.

FIRM ZONES V, V1-V30: I certify that the building at the property location described above has the bottom of the lowest floor beam at an elevation of \_\_\_\_\_ feet, NGVD (mean sea level), and the average grade at the building site is at an elevation of \_\_\_\_\_ feet, NGVD.

FIRM ZONES A, A99, AH and EMERGENCY PROGRAM: I certify that the building at the property location described above has the lowest floor elevation of \_\_\_\_\_ feet, NGVD. The elevation of the highest adjacent grade next to the building is \_\_\_\_\_ feet, NGVD.

FIRM ZONE AO: I certify that the building at the property location described above has the lowest floor elevation of \_\_\_\_\_ feet, NGVD. The elevation of the highest adjacent grade next to the building is \_\_\_\_\_ feet, NGVD.

**SECTION III FLOODPROOFING CERTIFICATION** (Certification by a Registered Professional Engineer or Architect)

I certify to the best of my knowledge, information, and belief, that the building is designed so that the building is watertight, with walls substantially impermeable to the passage of water and structural components having the capability of resisting hydrostatic and hydrodynamic loads and effects of buoyancy that would be caused by the flood depths, pressures velocities, impact and uplift forces associated with the base flood.

YES  NO  In the event of flooding, will this degree of floodproofing be achieved with human intervention? (Human intervention means that water will enter the building when floods up to the base flood level oc-